

| Bill Number(s)<br>(2024-2025) | Sponsor(s)                                   | Description   | Issue Area        |
|-------------------------------|--|---|-------------------|
| <a href="#">A2938/S1050</a>   | Schaer<br>Atkins<br>Greenstein               | Requires landlords of certain properties providing child care services who refuse lead service line replacements to install and maintain water filters.   | Water             |
| <a href="#">A2412/S416</a>    | Quijano<br>Schaer<br>Pennacchio<br>Smith     | Allows gross income tax deduction for amounts paid for removal of lead, asbestos, sodium, chloride, and other contaminants from taxpayer's property.  | Paint             |
| <a href="#">S988/A572</a>     | Greenstein Sterley                           | Requires DOE and DCF to establish online reporting systems for schools and child care centers to report lead testing results.   | Data              |
| <a href="#">A2929/S1034</a>   | Schaer,<br>Greenwald<br>Greenstein           | Requires disclosure of lead drinking water hazards to tenants of residential units; prohibits landlords from obstructing replacement of lead service lines; concerns testing of residential rental units for lead drinking water hazards. | Water             |
| <a href="#">A2830/S2187/S</a> | Verrelli/karabinchak<br>Ruiz                 | Authorizes common law public nuisance lawsuits against the manufacturers of lead paint. Such a lawsuit in California resulted in a multi-million dollar settlement, yielding funds for lead paint remediation.                            | Paint             |
| <a href="#">A3305</a>         | Wimberly                                     | Requires financial institutions that foreclose on properties to remove a known lead service line.   | Water             |
| <a href="#">SJR90/AJR32</a>   | Mcknight<br>Reynolds-Jackson                 | Designates October as "Lead Poisoning Awareness Month."   | Awareness         |
| <a href="#">S3368</a>         | Ruiz<br>Mcknight                             | Concerns law protecting residential tenants from lead-based paint hazards.  | Paint             |
| <a href="#">A879</a>          | Reynolds-Jackson<br>(D15); Wimberly<br>(D35) | Requires public and nonpublic schools to test for and remediate lead in drinking water, and disclose test results.  | Water             |
| <a href="#">A1811</a>         | Conaway/Danielsen                            | Requires DEP to adopt a statewide plan to reduce lead exposure. The Department is already implementing a comprehensive program, including the most aggressive LSL replacement goal (10 years) of any state in the country.                | Water             |
| <a href="#">A3800/S1730</a>   | Sampson                                      | Prohibits the sale of certain children's products containing lead, mercury, or cadmium.   | Consumer Products |
| <a href="#">A90/</a>          | REYNOLDS-JACKS<br>ON<br>Wimberly             | Revises and codifies schedule for childhood lead screenings.  | Health            |
| <a href="#">A2001</a>         | Speight<br>Donlon<br>Sampson                 | Prohibits sale of crayon and chalk products containing lead.  | Consumer Products |
| <a href="#">A2306</a>         | Swain<br>Tully                               | Requires certain residential property owners, schools, and child care centers to test drinking water for lead every three years.  | Water             |
| <a href="#">A2433</a>         | Ouijano<br>Reynolds-Jackson<br>Haider        | Requires health insurance companies to cover lead screenings for children 16 years of age or younger.   | Health            |
| <a href="#">A2470</a>         | Ouijano                                      | Requires institutions of higher education to test for lead in drinking water annually, report test results, and install lead filters or treatment devices.  | Water             |
| <a href="#">A2882/S1569</a>   | Verelli<br>Reynolds-Jackson                  | Requires schools and child care centers to test drinking water for lead every two years and install filters certified to reduce lead levels.  | Water             |
| <a href="#">A3447</a>         | Sauickie                                     | Requires BPU to conduct inventory of lead-covered cables and develop plan for removal.  | Cables            |
| <a href="#">A3498</a>         | Speight                                      | Requires construction permit and inspections for certain work involving lead paint on home exterior.  | Paint             |
| <a href="#">A3511</a>         | Stanley<br>Speight<br>Reynolds-Jackson       | Requires contractors' compliance with federal requirement regarding lead-based paint.   | Paint             |
| <a href="#">A4268</a>         | Venezia<br>Carter                            | Requires landlords to disclose existence of lead service lines and lead water supply plumbing to tenants.   | Water             |
| <a href="#">A4327</a>         | Conway<br>Reynolds-Jackson<br>Wimberly       | Revises statutory definition of "elevated blood lead level."  | Health            |